Neuroscience Letters, 225 (1997) 216–218
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abraham, C.R., see Liang, J.-s., 73
Achaval, M., see Malcon, C., 145
Adelsberger, H., Heckmann, M., Dudel, J., The amplitude of quantal currents is reduced during short-term depression at neuromuscular synapses in *Drosophila*, 5
Agid, Y., see Boissière, F., 169
Agnati, L.F., see Fuxe, K., 49
Ahern, G.P., Junankar, P.R., Dulhunty, A.F., Ryanodine receptors from rabbit skeletal muscle are reversibly activated by rapamycin, 81
Aller, M.I., Janusonis, S., Fite, K.V., Fernández-López, A., Distribution of the $GABA_A$ receptor complex $\beta 2/3$ subunits in the brain of the frog *Rana pipiens*, 65
Andersson, J., see Imamura, K., 173
Angelova, K., Ergul, A., Peng, K.-C., Puett, D., Metabolism of endothelin-1 by neuroblastoma × glioma hybrid (NG108–15) cells, 1
Arias-Montañ, J.-A., see Soria-Jasso, L.-E., 117
Asanuma, M., Asanuma, S.N., Gómez-Vargas, M., Yamamoto, M., Ogawa, N., Ketoprofen, a non-steroidal anti-inflammatory drug prevents the late-onset reduction of muscarinic receptors in gerbil hippocampus after transient forebrain ischemia, 109
Asanuma, S.N., see Asanuma, M., 109

Bahena-Trujillo, R., see Soria-Jasso, L.-E., 117
Bashir, Z.I., see Kemp, N., 189
Beart, P.M., see Mercer, L.D., 97
Beck, B., Stricker-Krongrad, A., Burlet, A., Musse, N., Nicolas, J.-P., Burlet, C., Dietary preferences in monosodium glutamate-lesioned rats: age-variable influence of hypothalamic neuropeptide Y, 153
Birbaumer, N., see Preißl, H., 77
Blumberg, S., see Levy, M., 113
Boissière, F., Faucheux, B., Agid, Y., Hirsch, E.C., Choline acetyltransferase mRNA expression in the striatal neurons of patients with Alzheimer's disease, 169
Bouyer, J.J., Deminière, J.M., Mayo, W., Le Moal, M., Inter-individual differences in the effects of acute stress on the sleep-wakefulness cycle in the rat, 193
Braunewell, K.-H., see Spilker, C., 126
Bunnemann, B., see Fuxe, K., 49
Burlet, A., see Beck, B., 153
Burlet, C., see Beck, B., 153

Caberlotto, L., see Fuxe, K., 49
Casida, J.E., see Huang, J., 85
Chen, N.N.H., Lai, Y.-J., Pan, W.H.T., Effects of different perfusion medium on the extracellular basal concentration of dopamine in striatum and medial prefrontal cortex: a zero-net flux micro-dialysis study, 197
Cheng, J.-T., see Tong, Y.-C., 181
Chow, A.Y., Chow, V.Y., Subretinal electrical stimulation of the rabbit retina, 13
Chow, V.Y., see Chow, A.Y., 13

Daan, S., see Meerlo, P., 41
Deminière, J.M., see Bouyer, J.J., 193
Dezaki, K., see Tsuneki, H., 185
Dodge, A., see Sieradzan, K., 45
Dudel, J., see Adelsberger, H., 5
Dulhunty, A.F., see Ahern, G.P., 81

Ergul, A., see Angelova, K., 1

Faucheux, B., see Boissière, F., 169
Felder, R.B., see Sundaram, K., 205
Fernández-López, A., see Aller, M.I., 65
Fine, R.E., see Liang, J.-s., 73
Fischer, H., see Imamura, K., 173
Fite, K.V., see Aller, M.I., 65
Fowler, S.C., see Stanford, J.A., 157
Franzén, O., see Imamura, K., 173
Fujii, T., see Yamada, S., 25
Fuxe, K., Tinner, B., Caberlotto, L., Bunnemann, B., Agnati, L.F., NPY Y1 receptor like immunoreactivity exists in a subpopulation of β-endorphin immunoreactive nerve cells in the arcuate nucleus: a double immunolabelling analysis in the rat, 49

Gisler, R.H., see Tkachuk, M., 121
Golombowski, S., Müller-Spahn, F., Romig, H., Mendla, K., Hock, C., Dependence of cerebrospinal fluid Tau protein levels on apolipoprotein E4 allele frequency in patients with Alzheimer's disease, 213
Gómez-Vargas, M., see Asanuma, M., 109
Goto, J., see Yazawa, I., 53
Gundelfinger, E.D., see Spilker, C., 126

Hållbus, M., Magnusson, T., Magnusson, O., Influence of $5\text{-}HT_{1B/1D}$ receptors on dopamine release in the guinea pig nucleus accumbens: a microdialysis study, 57
Hashimoto, K., see Katsumori, H., 149
Hasimoto, R., see Nakamura, Y., 201
Hattori, H., see Nakamura, Y., 201
Hebisawa, A., see Yazawa, I., 53
Heckmann, M., see Adelsberger, H., 5
Helenius, M., see Korhonen, P., 61
Hirsch, E.C., see Boissière, F., 169
Hock, C., see Golombowski, S., 213
Huang, J., Casida, J.E., Role of cerebellar granule cell-specific $GABA_A$ receptor subtype in the differential sensitivity of [^{3}H]ethynylbicycloorthobenzoate binding to GABA mimetics, 85
Hung, Y.-C., see Tong, Y.-C., 181

Imamura, K., Richter, H., Fischer, H., Lennerstrand, G., Franzén, O., Rydberg, A., Andersson, J., Schneider, H., Onoe, H., Watanabe, Y.,

Janusonis, S., see Aller, M.I., 65
Jo, S.-M., see Won, M.-H., 105
Johnson, S.M., see Sundaram, K., 205
Junankar, P.R., see Ahern, G.P., 81

Kanazawa, I., see Yazawa, I., 53
Kashiwagi, Y., see Nakamura, Y., 201
Katsumori, H., Hashimoto, K., Tomitaka, S.-i., Osawa, M., Minabe, Y., Acute effect of c-fos antisense oligodeoxynucleotide on hippocampal partial seizures elicited by electrical stimulation in rats, 149

Kawashima, K., see Yamada, S., 25
Kemp, N., Bashir, Z.I., A role for adenosine in the regulation of long-term depression in the adult rat hippocampus in vitro, 189
Kim, Y.-H., see Wie, M.-B., 93
Kimura, I., see Tsuneki, H., 185
Kimura, N., Perry, S.F., Remmers, J.E., Strychnine eliminates reciprocation and augmentation of respiratory bursts of the in vitro frog brainstem, 9
Ko, B.-M., see Won, M.-H., 105
Koedel, U., Pfister, H.-W., Protective effect of the antioxidant *N*-acetyl-L-cysteine in pneumococcal meningitis in the rat, 33
Komlos, F., see Malcon, C., 145
Kondo, Y., see Nakano, K., 17
Korhonen, P., Helenius, M., Salminen, A., Age-related changes in the regulation of transcription factor NF-κB in rat brain, 61
Kornhuber, J., see Otto, M., 210
Kretzschmar, H.A., see Otto, M., 210
Kudo, T., see Nakamura, Y., 201
Kurisaki, H., see Yazawa, I., 53

Lai, Y.-J., see Chen, N.N.H., 197
Långström, B., Reduced activity in the extrastriate visual cortex of individuals with strabismic amblyopia, 173
Långström, B., see Imamura, K., 173
Lantsch, M., see Otto, M., 210
Le Moal, M., see Bouyer, J.J., 193
Lee, J.-C., see Wie, M.-B., 93
Lee, J.-C., see Won, M.-H., 105
Lee, K.-H., see Wie, M.-B., 93
Lennerstrand, G., see Imamura, K., 173
Levy, M., Blumberg, S., Susswein, A.J., The rhinophores sense pheromones regulating multiple behaviors in *Aplysia fasciata*, 113
Li, H., Mizuno, N., Collateral projections from single neurons in the dorsal column nuclei to the inferior colliculus and the ventrobasal thalamus: a retrograde double-labeling study in the rat, 21
Liang, J.-s., Sloane, J.A., Wells, J.M., Abraham, C.R., Fine, R.E., Sipe, J.D., Evidence for local production of acute phase response apolipoprotein serum amyloid A in Alzheimer's disease brain, 73
Lutzenberger, W., see Preißl, H., 77

Magnusson, O., see Hållbus, M., 57
Magnusson, T., see Hållbus, M., 57
Malcon, C., Achaval, M., Komlos, F., Partata, W., Sauressig, M., Ramírez, G., Souza, D.O., GMP protects against quinolinic acid-induced loss of NADPH-diaphorase-positive cells in the rat striatum, 145
Mann, D.M.A., see Sieradzan, K., 45
Marín, O., see Perez-Santana, L., 101
Marsala, M., see Yang, L.Ch., 89
Mayo, W., see Bouyer, J.J., 193
Meerlo, P., Pragt, B.J., Daan, S., Social stress induces high intensity sleep in rats, 41
Mendla, K., see Golombowski, S., 213
Mercer, L.D., Beart, P.M., Histochemistry in rat brain and spinal cord with an antibody directed at the cholecystokinin$_A$ receptor, 97
Miller, A.D., see Zheng, Y., 161
Minabe, Y., see Katsumori, H., 149
Miyamae, Y., see Nakamura, Y., 201
Mizuno, N., see Li, H., 21
Müller-Spahn, F., see Golombowski, S., 213
Musse, N., see Beck, B., 153

Nakamura, Y., Hasimoto, R., Kashiwagi, Y., Miyamae, Y., Shinosaki, K., Nishikawa, T., Hattori, H., Kudo, T., Takeda, M., Abnormal distribution of neurofilament L in neurons with Alzheimer's disease, 201
Nakano, K., Suga, S., Kondo, Y., Sato, T., Sakuma, Y., Estrogen-excitable forebrain projections to the ventral premammillary nucleus of the female rat, 17
Nakazawa, K., see Zheng, Y., 161
Negishi, K., Wagner, H.-J., Density ratio of dopaminergic versus serotonergic cells correlates with cone-to-rod ratio in teleost retinas, 37
Nicolas, J.-P., see Beck, B., 153
Nishikawa, T., see Nakamura, Y., 201
Nukina, N., see Yazawa, I., 53

Ogawa, N., see Asanuma, M., 109
Oh, Y.-S., see Won, M.-H., 105
Ohnuma, M., see Takeda, A., 69
Okada, S., see Takeda, A., 69
Onoe, H., see Imamura, K., 173
Orendacova, J., see Yang, L.Ch., 89
Osawa, M., see Katsumori, H., 149
Otto, M., Wiltfang, J., Tumani, H., Zerr, I., Lantsch, M., Kornhuber, J., Weber, T., Kretzschmar, H.A., Poser, S., Elevated levels of tau-protein in cerebrospinal fluid of patients with Creutzfeldt–Jakob disease, 210

Pahk, A.J., Williams, K., Influence of extracellular pH on inhibition by ifenprodil at *N*-methyl-D-aspartate receptors in *Xenopus* oocytes, 29
Pan, W.H.T., see Chen, N.N.H., 197
Partata, W., see Malcon, C., 145
Peng, K.-C., see Angelova, K., 1
Perez-Santana, L., Marín, O., Smeets, W.J.A.J., Afferent connections of the nucleus accumbens of the snake, *Elaphe guttata*, studied by means of in vitro and in vivo tracing techniques in combination with TH immunohistochemistry, 101
Perry, S.F., see Kimura, N., 9
Pfister, H.-W., see Koedel, U., 33
Poser, S., see Otto, M., 210
Pragt, B.J., see Meerlo, P., 41
Preißl, H., Lutzenberger, W., Pulvermüller, F., Birbaumer, N., Fractal dimensions of short EEG time series in humans, 77
Puett, D., see Angelova, K., 1
Pulvermüller, F., see Preißl, H., 77

Ramírez, G., see Malcon, C., 145
Remmers, J.E., see Kimura, N., 9
Richter, H., see Imamura, K., 173
Romig, H., see Golombowski, S., 213
Rydberg, A., see Imamura, K., 173

Sakuma, Y., see Nakano, K., 17
Salminen, A., see Korhonen, P., 61
Sato, T., see Nakano, K., 17
Satoh, M., Yoshida, T., Promotion of neurogenesis in mouse olfactory neuronal progenitor cells by leukemia inhibitory factor in vitro, 165
Sauressig, M., see Malcon, C., 145
Sawashita, J., see Takeda, A., 69
Schneider, H., see Imamura, K., 173
Shin, J.-H., see Wie, M.-B., 93

Shinosaki, K., see Nakamura, Y., 201
Sieradzan, K., Mann, D.M.A., Dodge, A., Clinical presentation and patterns of regional cerebral atrophy related to the length of trinucleotide repeat expansion in patients with adult onset Huntington's disease, 45
Sim, M.K., see Tang, F.R., 177
Sipe, J.D., see Liang, J.-s., 73
Sloane, J.A., see Liang, J.-s., 73
Smeets, W.J.A.J., see Perez-Santana, L., 101
Song, D.-K., see Wie, M.-B., 93
Soria-Jasso, L.-E., Bahena-Trujillo, R., Arias-Montañ, J.-A., Histamine H_1 receptors and inositol phosphate formation in rat thalamus, 117
Souza, D.O., see Malcon, C., 145
Spilker, C., Gundelfinger, E.D., Braunewell, K.-H., Calcium- and myristoyl-dependent subcellular localization of the neuronal calcium-binding protein VILIP in transfected PC12 cells, 126
Stanford, J.A., Fowler, S.C., Scopolamine reversal of tremor produced by low doses of physostigmine in rats: evidence for a cholinergic mechanism, 157
Stricker-Krongrad, A., see Beck, B., 153
Suga, S., see Nakano, K., 17
Suh, H.-W., see Wie, M.-B., 93
Sundaram, K., Johnson, S.M., Felder, R.B., Altered expression of delayed excitation in medial NTS neurons of spontaneously hypertensive rats, 205
Susswein, A.J., see Levy, M., 113

Takeda, A., Ohnuma, M., Sawashita, J., Okada, S., Zinc transport in the rat olfactory system, 69
Takeda, M., see Nakamura, Y., 201
Tang, F.R., Sim, M.K., Metabotropic glutamate receptor subtype-1α (mGluR1α) immunoreactivity in ependymal cells of the rat caudal medulla oblongata and spinal cord, 177
Tinner, B., see Fuxe, K., 49
Tkachuk, M., Gisler, R.H., The promoter of macrophage colony-stimulating factor receptor is active in astrocytes, 121
Tomitaka, S.-i., see Katsumori, H., 149
Tong, Y.-C., Hung, Y.-C., Cheng, J.-T., Evidence of P_{2Y}-purinoceptor mediated bladder neck smooth muscle post-contractile relaxation in the male mini-pig, 181
Tsuneki, H., Dezaki, K., Kimura, I., Neuronal nicotinic receptor operates slow Ca^{2+} mobilization at mouse muscle endplate, 185
Tumani, H., see Otto, M., 210

Umezaki, T., see Zheng, Y., 161

Wagner, H.-J., see Negishi, K., 37
Watanabe, Y., see Imamura, K., 173
Weber, T., see Otto, M., 210
Wells, J.M., see Liang, J.-s., 73
Wie, M.-B., see Won, M.-H., 105
Wie, M.-B., Won, M.-H., Lee, K.-H., Shin, J.-H., Lee, J.-C., Suh, H.-W., Song, D.-K., Kim, Y.-H., Eugenol protects neuronal cells from excitotoxic and oxidative injury in primary cortical cultures, 93
Williams, K., see Pahk, A.J., 29
Wiltfang, J., see Otto, M., 210
Won, M.-H., see Wie, M.-B., 93
Won, M.-H., Wie, M.-B., Lee, J.-C., Jo, S.-M., Ko, B.-M., Oh, Y.-S., Distribution and characteristics of cholecystokinin-like immunoreactivity in the olfactory bulb of the cat, 105

Yaksh, T.L., see Yang, L.Ch., 89
Yamada, S., Fujii, T., Kawashima, K., Oral administration of KW-5092, a novel gastroprokinetic agent with acetylcholinesterase inhibitory and acetylcholine release enhancing activities, causes a dose-dependent increase in the blood acetylcholine content of beagle dogs, 25
Yamamoto, M., see Asanuma, M., 109
Yang, L.Ch., Marsala, M., Orendacova, J., Yaksh, T.L., Knee joint inflammation attenuates spinal FOS expression after unilateral paw formalin injection in rat, 89
Yazawa, I., Nukina, N., Goto, J., Kurisaki, H., Hebisawa, A., Kanazawa, I., Expression of dentatorubral-pallidoluysian atrophy (DRPLA) proteins in patients, 53
Yoshida, T., see Satoh, M., 165

Zerr, I., see Otto, M., 210
Zheng, Y., Umezaki, T., Nakazawa, K., Miller, A.D., Role of pre-inspiratory neurons in vestibular and laryngeal reflexes and in swallowing and vomiting, 161